

Pre-harvest Intervals for Sugar Beet Products

The 2021 harvest season is approaching. All the products we use to help protect our sugar beet crop have a preharvest interval between the application date and the first date that the treated area can be harvested. Failure to abide by the pre-harvest intervals is a violation of the product label and can have serious consequences to both the shareholder and the cooperative. In this edition of the Agricultural Beet, we will highlight important pre-harvest intervals for several commonly used products.

Ultra Blazer

Ultra Blazer received a Section 18 Emergency Use Exemption Label for Minnesota this season. **This label expires on July 31, 2021.** No applications of Ultra Blazer can be made after this date. In addition to the label expiration, the label also has a 45-day pre-harvest interval for the application of Ultra Blazer.

<u>Herbicide PHI</u>

- Assure II 45 days
- Dual Magnum 60 days
- Ethofumesate depends on brand
- Glyphosate 30 days
- Outlook 60/95 days
- Select Max 40 days
- Stinger 45 days
- Upbeet 60 days
- Warrant 70 days

This document contains the pre-harvest intervals for commonly used products. If the product is not listed, consult the product label. Always consult the product label for specific instructions and pre-harvest intervals. Contact your Agriculturist with any questions.

Fungicide PHI

- Copper products generally 0 days. Consult label
- EBDC products 14 days
- Eminent VP/Minerva 14 days
- Enable 2F 14 days
- Inspire XT 21 days
- Proline 480SC 7 days
- Provysol 7 days
- Super Tin 4L, Agri Tin Flowable 7 days
- Topguard 21 days

Insecticide PHI

- Asana XL 21 days
- Chlorpyrifos (Lorsban or generics) –30 days
- Mustang Max 50 days

Mark Bloomquist Research Director

Agricultural Department
Southern Minnesota Beet Sugar Cooperative